



**Xylem Water Solutions USA, Inc.
Flygt Products**

June 29, 2021

9661 194th Street
Mokena, IL 60448
Tel (708) 342-0484
Fax (708) 342-0491

CITY OF PLANO
17 E MAIN ST
PLANO IL 60545-1521

Quote # 2021-CHI-0035
Project Name: Plano
Job Name:

Xylem Water Solutions USA, Inc. is pleased to provide a quote for the following Flygt equipment.

Centrate Pumps

Qty	Description	Extended Price
2	Flygt Model NP-3085.070 3" volute Submersible pump equipped with a 460 Volt / 3 phase / 60 Hz 3 HP 1750 RPM motor, 463 impeller, 1 x 50 Ft. length of SUBCAB 4G2,5+2x1,5 submersible cable, FLS leakage detector, volute is prepared for Flush Valve	\$ 13,163.76
Centrate Pumps Price		\$ 13,163.76

IR Pumps

Qty	Description	Extended Price
1	PL622 11.9/460/3 65'(S10) FM+ 2XFLS PAU	\$ 33,378.46
IR Pumps Price		\$ 33,378.46

Start Up

Qty	Description	Extended Price
1	START UP,FLYGT,NO TAX 1-TP MODELS: 3000,7000,8000	\$ 1,338.00
Start Up Price		\$ 1,338.00
Total Price		\$ 47,880.22
Freight Charge		\$ 2,227.00
Total Price		\$ 50,107.22



Terms & Conditions

This order is subject to the Standard Terms and Conditions of Sale – Xylem Americas effective on the date the order is accepted which terms are available at <http://www.xyleminc.com/en-us/Pages/terms-conditions-of-sale.aspx> and incorporated herein by reference and made a part of the agreement between the parties.

Purchase Orders: Please make purchase orders out to: Xylem Water Solutions USA, Inc.
Freight Terms: 3 DAP - Delivered At Place 08 - Jobsite (per IncoTerms 2020)
See Freight Payment (Delivery Terms) below.
Taxes: State, local and other applicable taxes are not included in this quotation.
Back Charges: Buyer shall not make purchases nor shall Buyer incur any labor that would result in a back charge to Seller without prior written consent of an authorized employee of Seller.
Shortages: Xylem will not be responsible for apparent shipment shortages or damages incurred in shipment that are not reported within two weeks from delivery to the jobsite. Damages should be noted on the receiving slip and the truck driver advised of the damages. Please contact our office as soon as possible to report damages or shortages so that replacement items can be shipped and the appropriate claims made.
Terms of Delivery: PP/Add Order Position
Validity: This Quote is valid for thirty (30) days.
Terms of Payment: 100% N45 after invoice date.
Xylem's payment shall not be dependent upon Purchaser being paid by any third party unless Owner denies payment due to reasons solely attributable to items related to the equipment being provided by FLYGT.

Schedule: Please consult your local Flygt Branch Office to get fabrication and delivery lead times.

Our current delivery lead-times are forecasted estimates only due to the outbreak of the COVID-19 virus pandemic and its global effects on commerce, supply chain, and logistics. Xylem will, however, use all commercially reasonable efforts to minimize any delivery delay impacts.

Thank you for the opportunity to provide this quotation. Please contact us if there are any questions.

Sincerely,



Aaron Flitcraft
Direct Sales Representative
Phone: 312-796-4961

aaron.flitcraft@xylem.com

Paul Weinert
Customer Support Specialist, Central US
Phone: 708-781-0187

paul.weinert@xylem.com





**Xylem Water Solutions USA, Inc.
Flygt Products**

Customer Acceptance

This order is subject to the Standard Terms and Conditions of Sale – Xylem Americas effective on the date the order is accepted which terms are available at <http://www.xylem.com/en-us/Pages/terms-conditions-of-sale.aspx> and incorporated herein by reference and made a part of the agreement between the parties.

A signed copy of this Quote is acceptable as a binding contract.

Purchase Orders: Please make purchase orders out to: Xylem Water Solutions USA, Inc.

Quote #: 2021-CHI-0035
Customer Name: CITY OF PLANO
Job Name:
Total Amount: \$ 47,880.22
(excluding freight)

Signature: _____	Name: _____ (PLEASE PRINT)
Company/Utility: _____	PO: _____
Address: _____	Date: _____
_____	Phone: _____
_____	Email: _____
_____	Fax: _____

